



## General Information

Material number	98685
Type	wall/ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	F

## Dimensions

Article Height (in mm/in)	145
Article Diameter (in mm/in)	765
Net Weight (in kg)	3.4

## Material & Colour

Enclosure Material	plastic, steel
Enclosure Colour	black, gold
Glass/Shade Material	plastic, granules
Glass/Shade Colour	transparent

## Functionality

Switch Type	without switch
Function	remote control incl. control via remote control CCT
Battery	No
Battery Type	AAA; R03P; 1,5V

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
max. Wattage (1)	4X4,5W
max. Wattage (2)	3X4,5W
max. Wattage (3)	4X2,2W

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	2120;1590;1040
Kelvin Complete	2700-6500K
Light colour Complete	TUNEABLE WHITE;TUNEABLE WHITE;TUNEABLE WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Energy efficiency class (EEI)	F
Dimmable	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist
Rated Lamp Power (0,1W precision)	37
Colour Tolerance (LED, SDCM)	<6

### Illuminant 2

Socket Type (2)	LED
Illuminant Type (2)	LED
Illuminant incl. (2)	Inclusive
Lumen Complete	2120;1590;1040
Kelvin Complete	2700-6500K
Light colour Complete	TUNEABLE WHITE;TUNEABLE WHITE;TUNEABLE WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Dimmable	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist
Rated Lamp Power (0,1W precision)	37
Colour Tolerance (LED, SDCM)	<6

### Illuminant 3

Socket Type (3)	LED
Illuminant Type (3)	LED
Illuminant incl. (3)	Inclusive
Lumen Complete	2120;1590;1040
Kelvin Complete	2700-6500K
Light colour Complete	TUNEABLE WHITE;TUNEABLE WHITE;TUNEABLE WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Energy efficiency class (EEI)	F
Dimmable	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist
Rated Lamp Power (0,1W precision)	37
Colour Tolerance (LED, SDCM)	<6

